



ScalePOS

iR²POS



ScalePOS

FEATURE

- Aluminum housing and fanless structure
- Better heat dissipation
- Integration of POS and scale platform
- 80mm receipt printer and 60mm label printer optional
- Water proof and insect-resistant design
- Artificial Intelligence technology for item identification



iR S100



▲ 15.6" Screen



▲ 10.1" Screen

SPECIFICATION



	1050S	1650S	1751S
CPU	J1900 Quad Core		
Memory	4GB DDRIII		
Hard Disk	128GB mSATA		
LCD	10.1" TFT 1280*800	15.6" TFT 1920*1080 IPS	15" TFT 1024*768
Touch Screen	Projected Capacitive Touch Screen		
Printer	60mm Thermal Printer, Support Receipt, Label and Linerless		
LAN	1*Gigabit Ethernet		
Power	DC 24V/2.5A		
Interfaces	4*USB, 2*RS232, 1*Cash Drawer, 1*LAN, 1*VGA		
Scale	Platter Size (mm): 380*280 Capacity&Division: 15/30*0.005/ 0.01kg or 6/15* 0.002/0.005kg		
OS	Windows 7/10, Linux		
Dimensions (mm)	380*130*420	395*600*360	380*610*360

OPTIONS

WiFi/ Bluetooth	WiFi 802.11b/g/n 2.4Ghz, BT 4.0		
	WiFi 802.11 a/c 2.4/5Ghz, BT 4.0		
Camera	2M USB		
2nd Display	-	10.1" TFT 1280*800	10.1" TFT 1280*800
	-	15.6" TFT 1920*1080 IPS	-

iR S200



▲ 14" Screen + 14" Screen



▲ 14" Screen + 8" Screen

SPECIFICATION



	2420S	2852SC
CPU	N3350	ARM A17 Quad Core
Memory	4GB DDR4L	2GB DDRIII
Hard Disk	64GB mSATA	16GB eMMC
LCD	14" TFT 1366*768	
Touch Screen	Projected Capacitive Touch Screen	
2nd Display	8" TFT 1280*800	14" TFT 1366*768
Printer	58mm Thermal Printer W/O Auto Cutter	
WiFi	802.11b/g/n	
LAN	1*10/100M Ethernet	
Power	DC 12V/4A	
Interfaces	3*USB, 1*RS232, 1*Cash Drawer, 1*LAN	
Scale	Platter Size (mm): 340*260 Capacity&Division: 15/30*0.005/ 0.01kg or 6/15* 0.002/0.005kg	
OS	Support Windows 10 IOT	Android 7.1
Dimensions (mm)	345*505*363	345*500*436

ACS-T

SPECIFICATION

	0211SR	0210SU
Capacity & Division	15/30*0.005/ 0.01kg or 6/15* 0.002/0.005kg	
Platter Size (mm)	340*260	340*260
Interfaces	1*RS232	1*USB
Dimensions (mm)	340*89*260	340*89*260







SPECIFICATION

	3741S	5751S
CPU	J1900 Quad Core	
Memory	4GB DDRIII	
Hard Disk	128GB mSATA	
LCD	15" TFT 1024*768	
Touch Screen	Projected Capacitive Touch Screen	
2nd Display	15" TFT 1024*768	
Printer	80mm Thermal Printer w/Auto Cutter	
	-	60mm, Support Receipt, Label and Linerless
LAN	1*Gigabit Ethernet	
Power	DC 24V/2.5A	
Interfaces	5*USB, 3*RS232, 1*Cash Drawer, 1*LAN, 1*VGA, 1*Audio	
Scale	Platter Size (mm): 360*280 Capacity&Division: 15/30*0.005/ 0.01kg or 6/15* 0.002/0.005kg	
OS	Windows 7/10, Linux	
Dimensions (mm)	365*565*470	380*587*470

OPTIONS

Screen Size	Dual Screens 14" TFT 1366*768
MSR	3 Tracks
I-Button	Reader With 2 Keys
Scanner	2D Scanner
WiFi/ Bluetooth	WiFi 802.11b/g/n 2.4Ghz, BT 4.0 WiFi 802.11 a/c 2.4/5Ghz, BT 4.0
3G/4G Module	Yes